


Front of Raglan Seam

**SLEEVE
CUT 2**

Includes 3/8 in. (10 mm) Seam Allowances

Shorten or Lengthen Line





h Direction





Neckline




Neckline




Back of Raglan Seam

Fabric Grain



Fabric Stretch



Neckline




Fabric Grain



BACK




Back of Raglan Seam



Front of Raglan Seam

Neckline

FRONT




Fabric Grain





Back Seam Center



LEFT AND RIGHT

CUT 2, BACK TO FRONT

Includes 3/8 in. (10 mm) Seam Allowance



Fabric Stretch Direction

T SIDES BACK

Allowances

Torso Shorten or Lengthen Line

tion



Front Edge


Place on Fold

Top Edge


HOOD CUT 1

Fabric Stretch Direction





Back Seam Center




Includes 3/8 in. (10 mm) Seam Allowance



Neckline

Marking Line for Pocket Opening

Fabric Stretch Direction




owances



tion

Fabric

Front Center Place on Fa



FRONT POCKET CUT 1

Cutting Line For:

Small

Medium

Large

Extra Large

Includes 3/8 in. (10 mm) S

CUFF CUT 2

Ribbing Fabric Grain

Sleeve Seam

old, then cut in half to make 2 pieces.

Grain



eam Allowances

Cutting Line For:


Small

Medium

Large


Extra Large

Sleeve Seam





Ribbing Stretch Direction




10
1 s






0% SCALE
square inch











ONESIE


Design modified by Sean Hur

from a **KWIK•SEW**

Men's Jo

Original design by Ke

The default measurements of this pattern fit an aprox. 135



pattern

nt & David Andora

PATTERN #1139

gging Suit ©1981

erstin Martensson

5-150 lb. 5'7"- 5'8" gentleman.