De	scription of Need:	Some individuals with limited mobility have difficulty with opening their lunchboxes							
De	sonption of Need.								
	Demission of Two	Daminen at Otatemat	Level: (1-3) Most- Least	Durata face a #4	D	Durchadama #0	Durchardowne #44	Destations #F	Prototype #6 (This Version in
#	Requirement Type	The device has high	Pertinent	Prototype #1	Prototype #2	Prototype #3	Prototype #4	Prototype #5	Instructables)
1	Design	physical safety	1	Yes	Yes	Yes	Yes	Yes	Yes
2	Design/Functional	User can open with limited use of one hand	1	Yes	Yes	Yes	Yes	Yes	Yes
3	Design/Functional	User can close with limited use of one hand	1	Yes	Yes	Yes	Yes	Yes	Yes
4	Design/Functional	The device is portable	1	No	Yes	Yes	Yes	Yes	Yes
		The device can be interacted with without							
5	Design/Functional	sliding off of surface	1	Yes	Yes	Yes	No	No	Yes
		The device can be interacted with without							
6	Design/Functional	tipping over	1	Yes	Yes	Yes	No	No	Yes
7	User/ Physical	Button is visibile (User request)	1	No	No	No	Yes	Yes	Yes
8	User/ Physical	Can fit in user's locker (User request)	1	Yes	Yes	Yes	Yes	Yes	Yes
9	Physical	The device is made of wash-friendly material	1	Yes	No	No	Yes	Yes	Yes
10	Design	The device has a highly intuitive design	2	Yes	Yes	Yes	Yes	Yes	Yes
11	Design	The device has a professional finish (minimal to no changes to original look for bought items)	2	No	No	No	No	Yes	Yes
		The device is safe for							
12	User/Design	food safety (According to the FDA)	2	Yes	Yes	Yes	Yes	Yes	Yes
		The device is made with user-defined opening mechanisms (magnet, push button, knob,							
13	User/ Design	Velcro) The device is made of	2	Yes	Yes	Yes	Yes	Yes	Yes
		firm material, as per user							
14	User/ Physical	request The device is highly	2	Yes	Yes	Yes	Yes	Yes	Yes
		durable despite							
15	Physical	contintual use	2	Yes	Yes	Yes	Yes	Yes	Yes
16	Cost	The device has low production cost (\$7-\$25)	2	Yes	Yes	Yes	Yes	Yes	Yes
17	Design	The device has average lunchbox dimensions (3- 4" D x 7-8" H x 9-10" W)	3	No (8.30" W x 12.00" H x 11.8" L)					
18	Physical	The device has average weight (5-10 oz, 140g- 285g)	3	No (1120 g)	No (1120 g)	No (1120 g)	No (998 g)	No (998 g)	No (998 g)
		Detachable and							
19	Functional	Adjustable Strap	3	No	No	No	Yes	Yes	Yes