

ITEM NO.	file name	DESCRIPTION	QTY.
1	Aluminum Profile 2040 300	20*40*300	2
2	20x20mm aluminium profile 300	20*20*300	1
3	hoekverbinding	corner	14
4	nema 17		4
5	glijas 300	axis 8*300mm	2
6	flex coupler	flex coupler	2
7	lm8uu	lm8uu	7
8	lager houder	bearing holder	3
9	Z-as houder links	z-axis holder	1
10	LeadScrew Nut 8mm x 2mmPitch	LeadScrew Nut 8mm x 2mmPitch	2
11	GT2 Timing Pulley AXIS 5mm MOTOR	GT2 Timing Pulley AXIS 5mm MOTOR	2
12	20x20mm aluminium profile 140	20*20*140	2
13	20x20mm aluminium profile 220	20*20*220	3
14	glijas 360	axis 8*360mm	2
15	extruder plaat	extruder plate	1
16	NF-A4x10 FLX	12v fan	1
17	20x20mm aluminium profile 380	20*20*380	2
18	8mm leadscrew	8mm leadscrew	2
19	Spool_Holder_Ender 3 v2	Spool_Holder_Ender 3 v2	1
20	GT2 - 20T_Tension Pulley Without Teeth+603ZZ dzino	GT2 - 20T_Tension Pulley Without Teeth+603ZZ dzino	2
21	rechts assen houder (part 1 links)	axis holder	1
22	stappermotor houder rechts	stepper motor holder right	1
23	stappermotor houder links	stepper motor holder left	1
24	hoekplaat	corner plate	1
25	bed as houder	bad axis holder	4

26	framesupport V2	framesupport for treated rod M10	5
27	glijas houder z-as rechts 3	z-axis holder	1
28	heat bed	heat bed	1
29	nema17 26mm	nema17 26mm	1
30	veer 25 mm	bed spring	4
31	LCD-scherm	LCD-display	1
32	MK8 Red Extruder Bowden	MK8 Red Extruder Bowden	1
33	cooling bl touch V3	toolhead	1
34	Ender3 Hot End	Ender3 Hot End	1
35	poot	leg	4
36	grote blazer	big fan axial	2
37	bodemplaat	base plate	1
38	Power supply 12V 30A or 24V 15A by prodes	Power supply 12V 30A or 24V 15A by prodes	1
39	xtruder stappen motor houder verstevigd	extruder stappen motor houder verstevigd	1
40	Fan 5015	radial Fan 5015	2
41	koeling opzet v1	cooling insert radial fan	2
42	hoekverbinding voor y as motor houder	corner for y-as bracket	2
43	y as motort houder	y-axis motor bracket	1
44	8-350	axis 8*350mm	2
45	y-as riem houder spanner v2	y-axis tensioner	1
46	hoekverbinding voor bodemplaat	corner for base plate	6
47	skr pro v1.2 houder	main board	1
48	heat plaat	heated bed	1
49	assen houder z-as rechts	axis holder top	1
50	580	threaded rod M10 (1m)	2
51	zijpaneel	side panel	4
52	bolt	M5*8	
53	bolt	M5*10	
54	bolt	M5*12	
55	bolt	M3*8	
56	bolt	M3*10	
57	bolt	M3*20	

58	bolt	M3*25	
59	bolt	M3*40	
60	bolt	M3*50	
61	nut	M5 nut	
62	nut	M3 nut	
63	t nut	M5 t nut	
64	t nut	M3 t nut	
65	bolt	M6*60	4